



KitchenAid Go Cordless System

Cordless Hand Mixers

5KHMR700BM* - 5KHMR762BM



- **7 speeds slide controller**
To stir, mix and whip at the perfect speed
Slow stirring for chunky ingredients, medium speeds for creaming butter and sugar & high speed to whip egg whites and heavy creams
- **Durable 2 stainless steel Turbo II beaters accessories**
Designed to thoroughly mix ingredients
- **Soft Start feature**
Brings the beaters up to the selected speed gradually to help prevent ingredients from splattering
- **KitchenAid Go cordless system hand mixer with free-standing design**
The power to make, the power to move
For tackling any recipe, anywhere
Designed to stand all on its own and minimize mess; lifting the beaters up and out of the bowl and workspace
In- and outdoor usage
- **Rechargeable 12V Lithium Ion battery***
Delivers optimal runtime and performance
Provides up to 60 minutes of continuous runtime**
Eliminates the constraints of a cord
Powers all KitchenAid Go cordless system appliances for cord-free, powerful making
Versatile ecosystem
- **Complete the KitchenAid Go cordless collection*** including Hand Blenders, Hand Mixer, Food Chopper, Personal Blender, Coffee Grinder and Kitchen Hand Vacuum**
The freedom to make wherever, whatever, and however
One removable battery powers all appliances for easy swapping and maximum versatility, for meal making made easy, for endless possibilities, for maximum versatility



MATTE BLACK

* Battery not included in the model 5KHMR700BM. Battery sold separately.

**Maximum initial battery voltage (measured without a workload) is 12 volts.

Nominal voltage is 10.8. Actual run time will vary based on recipe and/or attachments used. Battery life impacted by factors such as battery age and use.

*** Each sold separately.

KitchenAid Go Cordless System

Cordless Hand Mixers

5KHMR700BM - 5KHMR762BM

TECHNICAL DATA

Motor		DC (Direct current)
Voltage		12 V
Number of speeds		7
Soft Start feature		Yes
Blades speed (min - max)		1100 RPM
Material of motor body		Plastic
Product dimensions	H x W x D	17.02 x 9.5 x 30.45 cm
Packaging dimensions	5KHMR700BM H x W x D	22.6 x 14 x 21 cm
	5KHMR762BM H x W x D	27.6 x 14 x 21 cm
Master pack dimensions	5KHMR700BM H x W x D	23.4 x 21.8 x 29 cm
	5KHMR762BM H x W x D	28.4 x 21.8 x 29 cm
Net weight	5KHMR700BM	0.885 kg
	5KHMR762BM	1.16 kg
Gross weight	5KHMR700BM	1.45 kg
	5KHMR762BM	1.78 kg
Master pack gross weight	5KHMR700BM	3.05 kg
	5KHMR762BM	3.75 kg
Master pack		2 units
Country of origin		China (Designed in the USA)
Air vents		Yes
Upright stance		Yes
Ejector button		Yes
Controls		Slide switch
Soft grip handle		No
Stainless Steel Turbo Beaters II		Yes
Dough hook		No
Pro whisk		No
Blending rod		No
Accessory bag		No

One interchangeable battery included in model 5KHMR762BM*/**

Rechargeable Lithium Ion battery	Battery cell type: LR1865LA
Full charge time battery	3 hours
Battery indicator light (LED)	Yes
Power cord type USB-C	Yes
Power adapter	Yes
Charging cord (black) length	91.44 cm
Running time with full battery	60 minutes***
Input USB adapter	100-240 V~, 50-60 Hz, 0.5 A
USB output	5 VDC, 2 A
Nominal voltage external battery	10.8 VDC
Maximum voltage external battery	12 VDC
Average battery lifespan	7 years based on 400 charge cycles

REFERENCES	COLOURS	EAN	EAN MASTER PACK (2 UNITS)
5KHMR700BM	MATTE BLACK	5413184002886	5413184123987
5KHMR762BM	MATTE BLACK	5413184002893	5413184903008

* Also available as an optional accessory.

** Not included in the model 5KHMR700BM. Battery model 5KRB12 can be purchased as an optional accessory.

*** Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. Actual running time will vary based on recipe and/or attachments used. Battery life impacted by factors such as battery age and use.

KitchenAid Go Cordless System

Cordless Hand Mixers

5KHMR700BM - 5KHMR762BM

STANDARD ACCESSORIES



Stainless steel Turbo II beaters
To handle heavy mixtures with ease.
Dishwasher-safe.



Rechargeable 12V Lithium Ion battery and USB-C cable/**/** 5KRB12**
Easy to charge. Lithium-Ion batteries charge faster, last longer, and have a higher power density for more battery life in a lighter package.
Full Charge: The battery will be fully charged in around 3 hours and when all LEDs are solid.
Does not include a USB adapter.



7 speeds slide controller and ejector button
Slide hand mixer controls. Ease of use.

OPTIONAL ACCESSORIES



Charging dock with fixed cable 5KRBC12
The charging dock has a 91.44 cm length cable. Includes a USB-A to USB-C charging cable.
The KitchenAid Go charging dock is designed for the home to provide a clutter-free space to charge the battery and allows to easily swap in a new battery**** if it runs out.
It plugs into a USB port for convenient charging.

TECHNICAL DATA OPTIONAL ACCESSORIES

		5KRB12 Removable 12V battery	5KRBC12 Docking station
Product dimensions	H x W x D	2.8 x 7 x 7.9 cm	2.475 x 7 x 7.9 cm
Packaging dimensions	H x W x D	10.2 x 6.1 x 10.1 cm	13.6 x 5.5 x 11.7 cm
Master pack dimensions	H x W x D	21.3 x 20.3 x 21.5 cm	14.4 x 23.4 x 36.4 cm
Net weight		0.24 kg	0.08 kg
Gross weight		0.4 kg	0.16 kg
Master pack gross weight		4.94 kg	2.26 kg
Master pack		12 units	12 units

REFERENCES	DESCRIPTION	EAN	EAN MASTER PACK (2 UNITS)
5KRB12	REMOVABLE 12V BATTERY	5413184002947	5413184903053
5KRBC12	DOCKING STATION	5413184002954	5413184903060

* Also available as an optional accessory.
** Not included in the model 5KHMR700BM. Battery model 5KRB12 can be purchased as an optional accessory.
*** Maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8. Actual run time will vary based on recipe and/or attachments used. Battery life impacted by factors such as battery age and use.
**** Extra battery sold separately.